



TRTD-130-(W/BK/GG/T)



TRTD-144-(W/BK/GG/T)



TRITON SERIES RETURN TO DECK RAIL

The Safron Triton ladders and rails are designed to give a custom designer look that will also enhance the look of any pool or deck.

The Triton pool rail series is fully reinforced with marine grade aluminium and is made from high impact polymer providing strength and durability throughout the years.

Safron ladders and rails, are not required to be earthed or bonded when installed with Safron's high impact polymer anchor sockets.

Easy installation using either the In-ground Anchor or Surface Mount Anchor.

Each rail includes 2 colour matched escutcheons (cover plates).


Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated
 Tube Size: 48 mmø OD
 Tube Thickness: 6.35 mm

Application: Commercial / Residential
 Warranty: 5 Year



TRITON SERIES LADDER 3 STEP

TL-224-3S POOL LADDER
SAFTRON POOLS AND SAFETY RAILS



The Saffron Triton ladders and rails are designed to give a custom designer look that will also enhance the look of any pool or deck. The Triton pool rail series is fully reinforced with marine grade aluminium and is made from high impact polymer providing strength and durability throughout the years.

Saffron ladders and rails, are not required to be earthed or bonded when installed with Saffron's high impact polymer anchor sockets. Easy installation using either the In-ground Anchor or Surface Mount Anchor.


Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated
 Tube Size: 48 mmø OD
 Tube Thickness: 6.35 mm

Application: Commercial / Residential
 Warranty: 5 Year

PTL-224-3S-(W/BK/GG/T)



DR-230-(W/GG/T/B)




DECK MOUNTED HAND RAIL

Saftron DR-230, DR-232, DR-236 & DR-240 are for deck mounting by stairs. The high impact polymer railings are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance.


Saftron rails, are not required to be earthed or bonded when installed with Saftron's high impact polymer anchor sockets. Easy installation using either the In-ground Anchor or Surface Mount Anchor. Each rail includes 2 colour matched escutcheons (cover plates).

DR-236-(W/GG/T/B)



Saftron rails are low maintenance, easy to clean with its smooth bright surface impervious to pool chemicals and guaranteed not to corrode, rust, pit, scale, chip, or fade and is covered with a 5 year warranty.

DR-240-W



Material: Marine Grade Aluminium / Vinyl Encapsulated


Tube Size: 48 mmø OD

Tube Thickness: 6.35 mm

Warranty: 5 Year




DTP-248-(W/GG/B)



DECK TO POOL HAND RAILS

Saftron DTP-248 & DTP-260 is for stairs and mounted on the deck and in the pool. The high impact polymer railings are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance. Saftron rails, are not required to be earthed or bonded when installed with Saftron's high impact polymer anchor sockets.


DTP-260-(W/GG/B)



Easy installation using either the In-ground Anchor or Surface Mount Anchor. Each rail includes 2 colour matched escutcheons (cover plates). Surface Mount Anchor includes Set Screws & Stainless Mounting Hardware. With those hot summer days you won't burn your hands as the Saftron rails stays cool to the touch and won't heat up in the sun. Saftron rails are low maintenance, easy to clean with it's smooth bright surface impervious to pool chemicals and guaranteed not to corrode, rust, pit, scale, chip, or fade and is covered with a 5 year warranty.

DTP-360-GG

MEASUREMENT IN INCHES



Material: Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD Tube

Thickness: 6.35 mm Finish:


Colours: White, Graphite Grey

Application: Commercial / Residential


Warranty: 5 Year



White




Graphite Gray



Beige

P-326-RTD-W/BK/GG/T)

RETURN TO DECK HAND GRAB RAIL



Saftron RTD is a Classic figure, high impact polymer railings are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance.

Saftron rails, are not required to be earthed or bonded when installed with Saftron's high impact polymer anchor sockets. Easy installation using either the In-ground Anchor or Surface Mount Anchor. Each rail includes 2 colour matched escutcheons (cover plates).

Saftron rails are low maintenance, easy to clean with it's smooth bright surface impervious to pool chemicals and guaranteed not to corrode, rust, pit, scale, chip, or fade and is covered with a 5 year warranty.


Material: Steel / Vinyl Encapsulated

Tube Size: 48 mmø OD

Tube Thickness: 6.35 mm

Warranty: 5 Years

P-330-RTD-(W/BK/GG)



P-330-RTD

MEASUREMENT IN INCHES




07 5534 3136

sales@aquaticelements.com.au

2 Hayter Street, Currumbin QLD 423

RTD-340-(W/BK/GG/T)

RETURN TO DECK HAND GRAB RAIL



Saftron RTD is designed for mounting on deck for use with steps. The high impact polymer railings are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance.

Saftron rails, are not required to be earthed or bonded when installed with Saftron's high impact polymer anchor sockets. Easy installation using either the In-ground Anchor or Surface Mount Anchor. Each rail includes 2 colour matched escutcheons (cover plates). Surface Mount Anchor includes Set Screws & Stainless Mounting Hardware.

Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD

Tube Thickness: 6.35 mm


Application: Commercial / Residential

Warranty: 5 Year




Beige

RTD-348-(W/BK/GG/T/B)




RTD-448-W




MEASUREMENT IN INCHES




CBRTD-448-(W/BK)



MEASUREMENT IN INCHES CBRTD-352-(W/BK/GG)



CBRTD-354-(W/BK/GG/T)



RETURN TO DECK CROSS BRACED HAND RAIL

Saftron CBRTD-RANGE is a commercial grade cross braced hand rail designed for mounting on deck for use with steps. The high impact polymer railings are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance.

Saftron rails, are not required to be earthed or bonded when installed with Saftron's high impact polymer anchor sockets. Easy installation using either the In-ground Anchor or Surface Mount Anchor. Each rail includes 2 colour matched escutcheons (cover plates). Surface Mount Anchor includes Set Screws & Stainless Mounting Hardware.

Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD

Tube Thickness: 6.35 mm

Application: Commercial / Residential

Warranty: 5 Year



IN GROUND LADDER

Saftron P-324 is a general purpose ladder made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance.

Saftron ladders and rails, are not required to be earthed or bonded when installed with Saftron's high impact polymer anchor sockets. Easy installation using either the In-ground Anchor or Surface Mount Anchor. Each ladder includes 2 colour matched escutcheons (cover plates). Surface Mount Anchor includes Set Screws & Stainless Mounting Hardware.

Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD

Tube Thickness: 6.35 mm

Application: Commercial / Residential

Warranty: 5 Year



Beige



White



Black




Taupe




Graphite Gray




P-324-L2-(W/BK/GG/T)




P-324-L3-(W/BK/GG/T)




P-324-L4-(W/BK/GG/T/B)



P-421-LP2-(W/BK/GG/T)



P-421-LP3-(W/BK/GG/T)



ELITE LADDER

Saftron P-324 is a general purpose ladder made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance.

Saftron ladders and rails, are not required to be earthed or bonded when installed with Saftron's high impact polymer anchor sockets. Easy installation using either the In-ground Anchor or Surface Mount Anchor. Each ladder includes 2 colour matched escutcheons (cover plates). Surface Mount Anchor includes Set Screws & Stainless Mounting Hardware.

Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD

Tube Thickness: 6.35 mm

Application: Commercial / Residential

Warranty: 5 Year



PPL-324-3S-(W/BK)

MEASUREMENT IN
INCHES

PREMIUM LADDER

Saftron PPL-324 Premium 3 step ladder is a general purpose ladder made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance.

Saftron ladders and rails, are not required to be earthed or bonded when installed with Saftron's high impact polymer anchor sockets. Easy installation using either the In-ground Anchor or Surface Mount Anchor. Each ladder includes 2 colour matched escutcheons (cover plates). Surface Mount Anchor includes Set Screws & Stainless Mounting Hardware.



Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD


Tube Thickness: 6.35 mm

Application: Commercial / Residential


Warranty: 5 Year



CBL-324-3S-(W/BK/GG)



CBL-324-4S-(W/BK/GG)



IN GROUND LADDER

The Safron CBL-324 ladder has a cross braced design suitable for commercial. The ladder is fully reinforced with stainless steel and is made from high impact polymer, providing strength and durability throughout the years.

Safron ladders and rails, are not required to be earthed or bonded when installed with Safron's high impact polymer anchor sockets. Easy installation using either the In-ground Anchor or Surface Mount Anchor. Each ladder includes 2 colour matched escutcheons (cover plates). Surface Mount Anchor includes Set Screws & Stainless Mounting Hardware.

Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmØ OD

Tube Thickness: 6.35 mm


Application: Commercial / Residential

Warranty: 5 Year



DOCK LADDER

DL-212-4S-(W/GG/B)



SĀFTRON high impact polymer dock ladders are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance.

They are guaranteed to keep their smooth, bright finish for many years. SĀFTRON Dock Ladders contain reinforced, encapsulated marine grade aluminium which provides superior strength and durability.

A high impact polymer exterior ensures SĀFTRON Dock Ladders are unaffected by saltwater or freshwater, and sun and remain cooler to the touch. No grounding or bonding required.

Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD

Tube Thickness: 6.35 mm

Application: Commercial / Residential

Warranty: 5 Year


07 5534 3136

sales@aquaticelements.com.au

2 Hayter Street, Currumbin QLD 423




White



Graphite
Gray



Beige



SF-24-(W/BK)

SF-24-LT-(W/BK)
INCLUDES LIFT AND
TURN BASE



SPA FLOOR RAILS

SĀFTRON high impact polymer railings are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance. They are guaranteed to keep their smooth, bright finish for many years.

SĀFTRON Spa Floor Rail contains a reinforced, encapsulated steel interior which provides superior strength and durability. A high impact polymer exterior ensures SĀFTRON rails are unaffected by pool chemicals, salt, and sun and remain cooler to the touch. This rail is available with a Lift & Turn base for all sizes. The Lift & Turn base allows the user to rotate the rail 180 degrees with one hand allowing for easy spa covering and spa entry.


Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD


Tube Thickness: 6.35 mm

Application: Commercial / Residential

Warranty: 5 Year




X-24-(W/BK)




X-48-(W)

MEASUREMENT IN INCHES



X-72-(W)

MEASUREMENT IN INCHES



SAFETY/EXERCISE SUPPORT BAR

SĀFTRON high impact polymer railings are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance. They are guaranteed to keep their smooth, bright finish for many years.

SĀFTRON 2-Post Safety and Exercise Support Bar Kit installs horizontally on the surface of the inside pool wall. Used to assist little swimmers build confidence, a hand support for exercise, or support to attach exercise equipment to. A high impact polymer exterior ensures SĀFTRON products are unaffected by pool chemicals, salt, and sun and remain cooler to the touch.

Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD

Tube Thickness: 6.35 mm

Application: Commercial / Residential

Warranty: 5 Year



White



Black



SĀFTRON



PA-VB-KIT-SM-(W/BK/GG/T)

VOLLEYBALL KIT



SĀFTRON high impact polymer products are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance. They are guaranteed to keep their smooth, bright finish for many years.

SĀFTRON internally reinforced Volleyball Kits includes two posts, 16' net, mounting and hardware. A high impact polymer exterior ensures SĀFTRON posts are unaffected by pool chemicals, salt, and sun and remain cooler to the touch. Posts are sold with anchor sockets or 6" surface bases. SĀFTRON's Volleyball Net is made from extremely strong, weather treated nylon.

Material: Fully Reinforced Marine Grade Aluminium / Vinyl Encapsulated

Tube Size: 48 mmø OD

Tube Thickness: 6.35 mm

Dimensions: 1219mm (H)

Warranty: 5 Year



07 5534 3136
sales@aquaticelements.com.au
2 Hayter Street, Currumbin QLD 423


WALL MOUNTED TOWEL RACK

PA-ST-(W-BK)

SĀFTRON high impact polymer products are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance. They are guaranteed to keep their smooth, bright finish for many years.

SĀFTRON vertical Wall Mounted Towel Rack includes 5 swivelling arms that allow towels to hang freely and dry quickly. When the Towel Rack is not in use, the arms lay flat against the wall. SĀFTRON products are unaffected by pool chemicals, salt, and sun and remain cooler to the touch.

Dimensions: 330mm (H) x 431mm (W)



SNAP-ON TRAY

PS-ST-(W/BK/GG/T)


SĀFTRON high impact polymer products are made of specially formulated compounds to ensure longevity and unparalleled resistance to the elements, UV, and chemicals while requiring virtually no maintenance. They are guaranteed to keep their smooth, bright finish for many years.

SĀFTRON Snap-on Tray is an attractive fixture that attaches to pool rails, ladders, and tubular patio furniture. The tray includes a drink holder and a flat surface large enough to hold a plate. SĀFTRON products are unaffected by pool chemicals, salt, and sun and remain cooler to the touch.

Dimensions: 139mm (H) x 279mm (W)



INSTALLATION FITTINGS



6" Surface Mounts for All Pool and Spa ladders and rails. Includes screws and mounting hardware

SB-F/1.9-(W/BK/GG/T)



Non-Corroding composite anchor socket for all Pool and Spa ladders and rails

ANCH-1



Anchor Socket Covers- White

ASC



Escutcheons - Vinyl White

ESC



Installation Jig- This reusable jig is used to align and support anchor sockets during installation. Spacing pre-set for standard ladders. Includes two built in bubble levels.

P-JIG-L (LADDERS)

P-JIG-RTD (RETURN TO DECK RAILS)

